



Section 29	T07N-R01W	Clear Creek
Section 32	T07N-R01W	Clear Creek

WITNESS MONUMENT TIES:

- 07' x 03' limestone found 0.5' above grade in line with an east/west tree line at the west top of bank of Harrodsburg Road;
N 90° W 23.0'
- Monroe County Surveyor sign 1.1' above grade on the west side of 9" utility pole #168-238;
N 76° E 24.2'
- MAG nail found 2.1' above grade in the east side of 9" utility pole #155-056;
N 12° W 102.3'
- North tab of manhole in north bound lane of Harrodsburg Road;
N 5° E 84.4'

NOTES:

- Field work was performed on March 2, 2017.
- Monroe County Surveyor's Field Book 48, page 70.
- Project Name: ClearCreek2017, Field work by: RSO, Drawn by: RSO, Reviewed by: RSO & TER.
- Coordinates shown hereon were obtained from GPS observations utilizing the Indiana Real-Time Network (INCORS). Indiana West Zone, NAD83(2011) Epoch 2010.0000, State Plane Grid Coordinates, US Survey Feet. Geoid model G2012BU7. Datum NAD83_NO_TRANS.
- Coordinate data for CICr_G21 and witness ties were collected using a Topcon Network Rover (PG-A1 antenna and GRS-1 data collector).
- Vicinity sketch was compiled per 2017 aerial photography.
- This monument was accepted by the Monroe County Surveyor Review Board on January 12, 2010. We collected coordinates on the known monument in preparation for an upcoming perpetuation survey in the area. Historic research has not yet been performed to prove the validity of this monument. The prior Monument Record references a Bledsoe Tapp & Riggert survey performed for Andis in 1997, on file in the Office of the Monroe County Surveyor and a Ryan C. Swingley survey performed for INDOT in 2007, on file in the Office of the Monroe County Recorder in Cabinet S, envelope 389.



▲ **Monument Description:** Railroad spike with cut "x" found flush in centerline of Harrodsburg Road

State Plane Grid Coordinates: Northing: 1369204.4', Easting: 3105786.6'

SHEET 1 OF 2	MONUMENT RECORD CORNER ID: CICr_G21	Quarter Corner Section 29 & 32- T07N-R01W Clear Creek Township Monroe County, Indiana	 OFFICE OF THE MONROE COUNTY SURVEYOR Trohn Enright-Randolph Monroe County Surveyor Rachel Savich Oser Professional Surveyor 119 West 7th Street, Bloomington, IN 47404 (812) 349-2570
-----------------------	---	---	--


Photos were taken on 3/2/2017 with an iPhone 6s



Trohn Enright-Randolph
Trohn Enright-Randolph
Monroe County Surveyor



Accepted by the Monroe
County Surveyor Review Board
on December 19, 2017



Rachel Oser
Rachel Savich Oser, State of Indiana
Professional Surveyor No. 21100022

SHEET 2 OF 2	MONUMENT RECORD CORNER ID: ClCr_G21	Quarter Corner Section 29 & 32- T07N-R01W Clear Creek Township Monroe County, Indiana	 MONROE COUNTY SURVEYOR'S OFFICE Trohn Enright-Randolph Monroe County Surveyor Rachel Savich Oser Professional Surveyor 119 West 7th Street, Bloomington, IN 47404 (812) 349-2570
-----------------------	---	---	---

MONUMENT RECORD
State of Indiana - County of Monroe

Section: 29

Township: 7 North


Range: 1 West

Corner ID: ClCr G-21

Monument Description & Remarks: R.R. Spike in center of Harrodsburg Road. Survey Sign 1 ft above ground at pt. B

References On File: Bledsoe Tapp & Riggert survey, Andis Boundary Survey Exhibit (1997), on file in Surveyor Office and Ryan C. Swingley survey, INDOT (2007), on file in Recorder Office cabinet S, envelope 389

RECOVERY TIE DRAWING
Field Book 37 Page No. 20



- A - R.R. Spike
- B - N 80° E 24.25' to Survey Sign on 10" power line pole
- C - N 86° W 22.81' to Limestone
- D - N 07° W 102.50' to MAG nail in 12" power line pole

Not To Scale
Compass Bearing Magnetic North



29

I, Kevin P. Enright, Monroe County Surveyor, hereby certify that this document was prepared under my direction in accordance with the provisions of section 36-2-12-11 of the Indiana Code; and the above data is given under my hand and seal this 5th day of December, 2005.

Kevin P. Enright

Administered by the Monroe County Surveyor Review Board

Date: 1-12-2010

